



SIZING GUIDE FOR RINGS

PRINTING SETTINGS

To get the best results, you should go to "print" and choose "actual size" in the "size option" before printing. The Georg Jensen Ring Size Chart must be printed on an A4 size page. To check that the Ring Size Chart has been printed properly, take a ruler and measure the sample below. It should measure exactly 2 cm.



HOW TO USE THE GEORG JENSEN RING SIZE CHART

- If you have a ring that fits perfectly on the finger on which the Georg Jensen ring will be worn, you can match it on the Ring Size Chart to find the closest fitting circle.
- If you fall in between two sizes, we recommend that you choose the larger size. Note that the ring size can vary depending on design and fit on the finger.

The inner edge of the ring is **NOT** aligned with the outer edge of the circle;



RING SIZER
CHOOSE A
SMALLER SIZE

The inner edge of the ring is **NOT** aligned with the outer edge of the circle;



RING SIZER
CHOOSE A
LARGER SIZE

The inner edge of the ring **IS** aligned with the outer edge of the circle;



RING SIZER
THIS IS THE
RIGHT SIZE



BY APPOINTMENT TO
HER MAJESTY THE QUEEN OF DENMARK

GEORG JENSEN

ESTABLISHED 1904



WIDE RINGS

A wide ring will require a larger ring size - and multiple rings worn next to each other on the same finger, may require the same.

FUSION RINGS

The Fusion ring is a wide ring, when putting 2,3 or 4 parts together. When having a wide ring, you would often need to go 1-2 sizes up compared to what you normally use. The Fusion ring sizing takes this into account, so if you usually use a size 52, you would also use a 52 in Fusion.



BY APPOINTMENT TO
HER MAJESTY THE QUEEN OF DENMARK

GEORG JENSEN

ESTABLISHED 1904

SIZING GUIDE FOR RINGS

DIAMETER OF THE RING IN MM	RING SIZE EUROPE	RING SIZE JAPAN	RING SIZE USA	RING SIZE UK
15,28	48	8	4 ½	I
15,60	49	9	5	J
15,91	50	10	5 ½	K
16,23	51	11	6	L
16,55	52	12	6 ½	M
16,87	53	13	7	N
17,19	54	14	7 ½	O
17,51	55	15	8	P
17,82	56	16	8 ½	Q
18,14	57	17	9	R
18,46	58	18	9 ½	S
18,78	59	19	10 ½	T
19,10	60	20	11	U
19,42	61	21	11 ½	V
19,74	62	22	12	W
20,05	63	23	12 ½	X
20,37	64	24	13	Y
20,69	65	25		Z
21,01	66	26		Z1
21,33	67	27		
21,65	68	28		
21,96	69	29		
22,28	70	30		